MH49646

## PGDQ2.MH49646 Marking and Labeling Systems - Component

For enhanced search functionality, please visit UL's  $\underline{\mathsf{iQ}^{TM}}$  Family of Databases. Click on a product designation for complete information.

See General Information for Marking and Labeling Systems - Component

Page Bottom

## Marking and Labeling Systems - Component

Liebigstr. 24

73760 Ostfildern, GERMANY

LABELWERK GMBH

Model No.	Application Surface	Max Temp (°C)	Min Temp (°C)	Indoor Use	Outdoor Use	Additional Conditions
Pressure-sensitive printed labels.						
Printed Label Labelwerk						
	Aluminum	100	-40	X(dry)	-	0
	Epoxy powder paint	100	-40	X(dry)	-	0
	Nylon - Polyamide	100	-40	X(dry)	-	0
	Phenolic - Phenol Formaldehyde	100	-40	X(dry)	-	0
	Polybutylene terephthalate	100	-40	X(dry)	-	0
	Polycarbonate	100	-40	X(dry)	-	0
	Polyester	100	-40	X(dry)	-	0
	Polyester powder paint	100	-40	X(dry)	-	0
	Stainless steel	100	-40	X(dry)	-	0

Note: Application surfaces are smooth, flat, and rigid unless otherwise specified. Labels suitable for application to two or more plastic or painted surfaces are considered suitable for blends of those plastics or paints, with Conditions of Acceptability common to the individual components in the blend.

O - Occasional exposure to Lubricating Oil.

Marking: Company name and model designation.

Last Updated on 2013-10-24

Questions? Print this page Terms of Use Page Top

© 2015 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the <u>UL Environment database</u> for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".

1 von 1 07.05.2015 09:11